

# Table of Contents

## Cutting Tools

<b>Drill Bits</b>	
GARD MTS Drill Bit, Special Length	2-3
Superior Performance S & D Bits	4
Superior Performance, Jobber Length	5
Number, SP	6
Letter, SP	7
Left Hand, SP	10
Superior Performance Screw Machine Length Stubby	9
Superior Performance Screw Machine Length Stubby Number Bits	9
Double End Bits - Fractional, Number	16
Combined Countersink / Drill Bit	16
Metric S & D, Superior Performance	8
Extended Length (aircraft) Drill Bit	8
Metric, Superior Performance	7
Forbor Enlargement Bits	17
Drillall Multi-Purpose Drill Bits	14-15
Masonry Bits, General Use	45
Countersink, GARD MTS	20
GARD Spline Drive Masonry Bits	49
GARD SDS Max Masonry Bits	48
GARD SDS Plus Masonry Bits	47
Wood Auger, Eliminator	21
Step Bits, GARD Ultimate	18
Reamers, Superior Performance	19
Screw Extractors, Square GARD Ultimate	13
Splined, GARD Uni-Spline	13
Spiral Screw Extractors	12
Pipe Extractors	12
<b>Burrs</b>	
GARD Tungsten Carbide	39-42
GARD TiN Carbide	43
<b>Taps</b>	
Taper, Plug and Bottoming	22-23
Tap Sets, GARD Superior Performance	24
InstaTap GARD MTS	25
TwisterTap, GARD MTS	26
TufTap, Superior Performance	27
Metric TufTap, Superior Performance	28
Pipe Tap, Superior Performance	28
Die Stock, T Handle Wrench and Bar Handle Wrench	30
<b>Dies</b>	
Hex Dies, Superior Performance	29
Hex Dies, S.P.	29
<b>Blades</b>	
GARD Bi-Metal Bandsaw Blades	31
GARD Porta Bandsaw Blades	31
Bandsaw Blade Selection	32-33
Blades, Reciprocating	34
Rapid Cut Wood Blade	35
GARD Bi-Metal Hacksaw Blades	35
Variable Pitch Bi-Metal Hacksaw Blade and Frame	35
<b>Hole Saws</b>	
Professional Grade Hole Saws, Accessories	36-38
<b>Specialty Cutting Tools</b>	
GARD Tang Shank Concrete Anchor Bits	44
GARD Left Hand Hard Steel Bits	11
GARD Rebar Cutters	50
GARD Keyless Chuck Converters	46
<b>TECHNICAL DATA TABLES</b>	
GARD Drill Speed Chart	51
GARD Drill and Thread Size / Thread Chart	52
GARD Tap Speed Chart	53
Decimal Equivalency Chart	54

## GARD MTS™ Drill Bits

GARDs MTS™ drill bit is a tough, long lasting drill bit designed for maintenance as well as production applications.



### GARD MTS™ Drill Bit Features

- Drill hard materials up to 45 HRC. Do not hesitate using the MTS™ when faced with drilling set screws, leaf springs, truck frames, Grade 8 bolts and many other hard-to-drill materials.
- Outstanding in stainless steel.
- MTS™ drill bits are far more ductile than cobalt — reducing breakage.
- MTS™ drill bits have a 135° split point. No skate tip. No need to center or punch before drilling.
- MTS™ drill bits have flats on the shank over 3/16" diameter - positive clamping in chuck.
- MTS™ drill bits last longer than other drills, even after sharpening. **More holes per bit!**

### REDUCE OR ELIMINATE:

- **Frequent Drill Replacement**
- **Slippage in the Chuck**
- **Breakage**
- **Downtime**

Larger Sizes Available Non-MTS™  
MADE IN THE U.S.A.

<b>GARD MTS™ Drill Bits</b>				
Size Diameter	Overall Length	Flute Length	3 Flat Shank	Part Number
1/16	1-7/8	7/8	No	30-01
5/64	2	1	No	30-013
3/32	2-1/4	1-1/4	No	30-015
7/64	2-3/8	1-5/16	No	30-018
1/8	2-1/2	1-7/16	No	30-02
9/64	2-5/8	1-9/16	No	30-023
5/32	2-3/4	1-11/16	No	30-025
11/64	2-7/8	1-13/16	No	30-028
3/16	3	1-7/8	No	30-03
13/64	3-1/8	1-15/16	Yes	30-033
7/32	3-1/4	2	Yes	30-035
15/64	3-3/8	2-1/16	Yes	30-038
1/4	3-1/2	2	Yes	30-04
17/64	3-5/8	2-1/8	Yes	30-043
9/32	3-3/4	2-1/4	Yes	30-045
19/64	3-7/8	2-3/8	Yes	30-048
5/16	4	2-1/2	Yes	30-05
21/64	4-1/16	2-9/16	Yes	30-053
11/32	4-1/8	2-5/8	Yes	30-055
23/64	4-3/16	2-11/16	Yes	30-058
3/8	4-1/4	2-11/16	Yes	30-06
25/64	4-5/16	2-3/4	Yes	30-063
13/32	4-3/8	2-13/64	Yes	30-065
27/64	4-7/16	2-7/8	Yes	30-068
7/16	4-1/2	2-15/16	Yes	30-07
29/64	4-5/8	3	Yes	30-073
15/32	4-3/4	3-1/8	Yes	30-075
31/64	4-7/8	3-1/4	Yes	30-078
1/2	5	3-3/8	Yes	30-08

## GARD MTS™ Drill Bits



### MTS™ Burgundy Drawer Assortments

EASY STOCK - 3 drawer dispenser made of durable steel with ball bearing smooth glide drawers.  
14-5/8 W x 7-3/8 D x 7-3/4 H

### MTS™ 29 pc. Drawer Set

1 piece each 1/16" thru 1/2" by 64ths with steel dispenser. Part No. 500-29D-30

### MTS™ 94 pc. Drawer Set

94 pcs. in 3 drawer dispenser.  
Part No. 500-29D-30L

SIZE	QTY	SIZE	QTY	SIZE	QTY
1/16	3	7/32	4	3/8	4
5/64	3	15/64	3	25/64	2
3/32	3	1/4	6	13/32	2
7/64	3	17/64	4	27/64	2
1/8	6	9/32	4	7/16	2
9/64	4	19/64	2	29/64	2
5/32	4	5/16	6	15/32	1
11/64	3	21/64	3	31/64	1
3/16	6	11/32	2	1/2	2
13/64	4	23/64	2		

## GARD MTS™ INDEX ASSORTMENTS


### MTS™ Index Set

1 piece each 1/16" thru 1/4" by 64ths with steel index.  
Part No. 500-13-30



### MTS™ Index Set

1 piece each 1/16" thru 1/2" by 1/32nds with steel index.  
Part No. 500-15-30



### MTS™ Index Set

1 piece each 1/16" thru 3/8" by 64ths with 29-hole steel index for growth.  
Part No. 500-21-30



*Exclusive Heavy Duty  
Wall Mount Index*

### Master Set in 6-Leaf Box

135 pc. total - 1 piece each 1/16" thru 1/2" by 64ths. GARD MTS™ Number Bits - 1 thru 80 / Letter Bits - A thru Z - SP Series  
Part No. 500-135-30

### MTS™ Index Set

1 piece each 1/16" thru 1/2" by 64ths with steel index.  
Part No. 500-29-30

**QUALITY AND DURABILITY!  
YOU CAN COUNT ON  
GARDs MTS™ DRILL BITS  
TO GET THE JOB DONE!**

## Superior Performance S&D Drill Bits



33/64" thru 1-1/2"  
Shank: 1/2" with 3 flats  
Overall Length: 6"

Fractional Size	Flute Length	8 pc Asst.	33 pc Asst.	Part Number
33/64	3-1/8		1	30-083
17/32	3-1/8		1	30-085
35/64	3-1/8		1	30-088
9/16	3-1/8	1	1	30-09
37/64	3-1/8		1	30-093
19/32	3-1/8		1	30-095
39/64	3-1/8		1	30-098
5/8	3-1/8	1	1	30-10
41/64	3-1/8		1	30-103
21/32	3-1/8		1	30-105
43/64	3-1/8		1	30-108
11/16	3-1/8	1	1	30-11
45/64	3-1/8		1	30-113
23/32	3-1/8		1	30-115
47/64	3-1/8		1	30-118
3/4	3	1	1	30-12
49/64	3		1	30-123
25/32	3		1	30-125
51/64	3		1	30-128
13/16	3	1	1	30-13
53/64	3		1	30-133
27/32	3		1	30-135
55/64	3		1	30-138
7/8	3	1	1	30-14

Fractional Size	Flute Length	8 pc Asst.	33 pc Asst.	Part Number
57/64	3		1	30-143
29/32	3		1	30-145
59/64	3		1	30-148
15/16	3	1	1	30-15
61/64	3		1	30-153
31/32	3		1	30-155
63/64	3		1	30-158
1	3	1	1	30-16
1-1/64	3			30-163
1-1/32	3			30-165
1-1/16	3			30-17
1-3/32	3			30-175
1-1/8	3			30-18
1-5/32	3			30-185
1-7/32	3			30-195
1-1/4	3			30-20
1-5/16	3			30-21
1-3/8	3			30-22
1-7/16	3			30-23
1-1/2	3			30-24



### ASSORTMENTS

#### 8 pc index Set

1 piece each with 9/16" thru 1"  
by 1/16" with steel index  
Part No. 500-8-30



#### 33 pc Index Set in Metal Stand

1 piece each with 1/2" (MTS) thru 1" (SP) by 1/32"  
Part No. 500-33-30

### 4 CUTTING TOOLS

## Superior Performance Jobber Length Drill Bits



Shank: Round

Fractional Size	Overall Length	Flute Length	Part Number
1/16	1-7/8	7/8	31-01
5/64	2	1	31-013
3/32	2-1/4	1-1/4	31-015
7/64	2-3/8	1-1/2	31-018
1/8	2-3/4	1-5/8	31-02
9/64	2-7/8	1-3/4	31-023
5/32	3-1/8	2	31-025
11/64	3-1/4	2-1/8	31-028
3/16	3-1/2	2-5/16	31-03
13/64	3-5/8	2-7/16	31-033
7/32	3-3/4	2-1/2	31-035
15/64	3-7/8	2-5/8	31-038
1/4	4	2-3/4	31-04
17/64	4-1/8	2-7/8	31-043
9/32	4-1/4	2-15/16	31-045

Fractional Size	Overall Length	Flute Length	Part Number
19/64	4-3/8	3-1/16	31-048
5/16	4-1/2	3-3/16	31-05
21/64	4-5/8	3-5/16	31-053
11/32	4-3/4	3-7/16	31-055
23/64	4-7/8	3-1/2	31-058
3/8	5	3-5/8	31-06
25/64	5-1/8	3-3/4	31-063
13/32	5-1/4	3-7/8	31-065
27/64	5-3/8	3-15/16	31-068
7/16	5-1/2	4-1/16	31-07
29/64	5-5/8	4-3/16	31-073
1-5/32	5-3/4	4-5/16	31-075
31/64	5-7/8	4-3/8	31-078
1/2	6	4-1/2	31-08

### ASSORTMENTS



#### Master Set in 6-Leaf Box

135 pc. total - 1 piece each 1/16" thru 1/2" by 64ths.  
Number Bits - 1 thru 80  
Letter Bits - A thru Z  
Part No. 500-135-31



#### Burgundy Drawer Assortment

EASY STOCK - 3 drawer dispenser made of durable steel with ball bearing smooth glide drawers.  
14-5/8 W x 7-3/8 D x 7-3/4 H

#### MTS™ 29 pc. Drawer Set

1 piece each 1/16" thru 1/2" by 64ths with steel dispenser. Part No. 500-29D-31

#### Index Set

1 piece each 1/16" thru 1/2" by 64ths with steel index  
Part No. 500-29-31



#### Index Set

1 piece each 1/16" thru 3/8" by 64ths with steel index  
Part No. 500-21-31

#### Index Set

1 piece each 1/16" thru 1/4" by 64ths with steel index  
Part No. 500-13-31



## Superior Performance Jobber Length Number Drill Bits - Wire Gauge



See Page 54 for  
Decimal Equivalency Chart

Number Size	Overall Length	Flute Length	Part Number
# 1	3-7/8	2-5/8	34-1
# 2	3-7/8	2-5/8	34-2
# 3	3-3/4	2-1/2	34-3
# 4	3-3/4	2-1/2	34-4
# 5	3-3/4	2-1/2	34-5
# 6	3-3/4	2-1/2	34-6
# 7	3-5/8	2-7/16	34-7
# 8	3-5/8	2-7/16	34-8
# 9	3-5/8	2-7/16	34-9
# 10	3-5/8	2-7/16	34-10
# 11	3-1/2	2-5/16	34-11
# 12	3-1/2	2-5/16	34-12
# 13	3-1/2	2-5/16	34-13
# 14	3-3/8	2-3/16	34-14
# 15	3-3/8	2-3/16	34-15
# 16	3-3/8	2-3/16	34-16
# 17	3-3/8	2-3/16	34-17
# 18	3-1/4	2-1/8	34-18
# 19	3-1/4	2-1/8	34-19
# 20	3-1/4	2-1/8	34-20
# 21	3-1/4	2-1/8	34-21
# 22	3-1/8	2	34-22
# 23	3-1/8	2	34-23
# 24	3-1/8	2	34-24
# 25	3	1-7/8	34-25
# 26	3	1-7/8	34-26
# 27	3	1-7/8	34-27
# 28	2-7/8	1-3/4	34-28
# 29	2-7/8	1-3/4	34-29
# 30	2-3/4	1-5/8	34-30
# 31	2-3/4	1-5/8	34-31
# 32	2-3/4	1-5/8	34-32
# 33	2-5/8	1-1/2	34-33
# 34	2-5/8	1-1/2	34-34
# 35	2-5/8	1-1/2	34-35
# 36	2-1/2	1-7/16	34-36
# 37	2-1/2	1-7/16	34-37
# 38	2-1/2	1-7/16	34-38
# 39	2-3/8	1-3/8	34-39
# 40	2-3/8	1-3/8	34-40

Number Size	Overall Length	Flute Length	Part Number
# 41	2-3/8	1-3/8	34-41
# 42	2-1/4	1-1/4	34-42
# 43	2-1/4	1-1/4	34-43
# 44	2-1/8	1-1/8	34-44
# 45	2-1/8	1-1/8	34-45
# 46	2-1/8	1-1/8	34-46
# 47	2	1	34-47
# 48	2	1	34-48
# 49	2	1	34-49
# 50	2	1	34-50
# 51	2	1	34-51
# 52	1-7/8	7/8	34-52
# 53	1-7/8	7/8	34-53
# 54	1-7/8	7/8	34-54
# 55	1-7/8	7/8	34-55
# 56	1-3/4	3/4	34-56
# 57	1-3/4	3/4	34-57
# 58	1-5/8	11/16	34-58
# 59	1-5/8	11/16	34-59
# 60	1-5/8	11/16	34-60
# 61	1-5/8	11/16	34-61
# 62	1-1/2	5/8	34-62
# 63	1-1/2	5/8	34-63
# 64	1-1/2	5/8	34-64
# 65	1-1/2	5/8	34-65
# 66	1-3/8	1/2	34-66
# 67	1-3/8	1/2	34-67
# 68	1-3/8	1/2	34-68
# 69	1-3/8	1/2	34-69
# 70	1-1/4	3/8	34-70
# 71	1-1/4	3/8	34-71
# 72	1-1/8	5/16	34-72
# 73	1-1/8	5/16	34-73
# 74	1	1/4	34-74
# 75	1	1/4	34-75
# 76	7/8	3/16	34-76
# 77	7/8	3/16	34-77
# 78	7/8	3/16	34-78
# 79	3/4	1/8	34-79
# 80	3/4	1/8	34-80



**Index Sets:**  
1 piece each  
#1 thru #80  
Part No. 500-80-34



1 piece each  
#1 thru #60  
Part No. 500-60-34



1 piece each  
#61 thru #80  
Part No. 500-20-34

**6 CUTTING TOOLS**

## Superior Performance Jobber Length Letter Gauge Diameter Drill Bits



Letter Size	Overall Length	Flute Length	Part Number
A	3-7/8	2-5/8	34-A
B	4	2-3/4	34-B
C	4	2-3/4	34-C
D	4	2-3/4	34-D
E	4	2-3/4	34-E
F	4-1/8	2-7/8	34-F
G	4-1/8	2-7/8	34-G
H	4-1/8	2-7/8	34-H
I	4-1/8	2-7/8	34-I
J	4-1/8	2-7/8	34-J
K	4-1/4	2-15/16	34-K
L	4-1/4	2-15/16	34-L
M	4-3/8	3-1/16	34-M
N	4-3/8	3-1/16	34-N
O	4-1/2	3-3/16	34-O
P	4-5/8	3-5/16	34-P
Q	4-3/4	3-7/16	34-Q
R	4-3/4	3-7/16	34-R
S	4-7/8	3-1/2	34-S
T	4-7/8	3-1/2	34-T
U	5	3-5/8	34-U
V	5	3-5/8	34-V
W	5-1/8	3-3/4	34-W
X	5-1/8	3-3/4	34-X
Y	5-1/4	3-7/8	34-Y
Z	5-1/4	3-7/8	34-Z

### Letter Index Set

1 piece each A thru Z  
Part No. 500-26-AZ



## Metric Drill Bits - Superior Performance



Metric Size	Part No.
0.8 mm	47-0-8
0.85 mm	47-0-85
0.9 mm	47-0-9
0.95 mm	47-0-95
1.0 mm	47-1-0
1.05 mm	47-1-05
1.1 mm	47-1-1
1.15 mm	47-1-15
1.2 mm	47-1-2
1.3 mm	47-1-3
1.35 mm	47-1-35
1.4 mm	47-1-4
1.45 mm	47-1-45
1.5 mm	47-1-5
1.6 mm	47-1-6
1.65 mm	47-1-65
1.7 mm	47-1-7
1.75 mm	47-1-75
1.8 mm	47-1-8
1.9 mm	47-1-9
2.0 mm	47-2-0
2.05 mm	47-2-05
2.5 mm	47-2-5
2.9 mm	47-2-9

Metric Size	Part No.
3.0 mm	47-3-0
3.3 mm	47-3-3
3.5 mm	47-3-5
4.0 mm	47-4-0
4.2 mm	47-4-2
4.5 mm	47-4-5
5.0 mm	47-5-0
5.5 mm	47-5-5
6.0 mm	47-6-0
6.5 mm	47-6-5
6.7 mm	47-6-7
6.8 mm	47-6-8
7.0 mm	47-7-0
7.5 mm	47-7-5
8.0 mm	47-8-0
8.5 mm	47-8-5
9.0 mm	47-9-0
9.5 mm	47-9-5
10.0 mm	47-10-0
10.2 mm	47-10-2
10.5 mm	47-10-5
11.0 mm	47-11-0
11.5 mm	47-11-5
12.0 mm	47-12-0
12.5 mm	47-12-5
13.0 mm	47-13-0

### ASSORTMENT

### Metric Index Set

25 pcs. 1 mm thru 13 mm by .5 mm, with steel index  
Part No. 500-47-24



## Metric Drill Bits - S & D Superior Performance



Metric Size	Part No.
14.0 mm	47-14-0
15.0 mm	47-15-0
16.0 mm	47-16-0
17.0 mm	47-17-0
18.0 mm	47-18-0
19.0 mm	47-19-0
20.0 mm	47-20-0
21.0 mm	47-21-0
22.0 mm	47-22-0
23.0mm	47-23-0
24.0 mm	47-24-0
25.0 mm	47-25-0

## Aircraft Extension Drill Bits The right bit to use when extra length is needed.



6"

12"

Size	Part No.	Size	Part No.	Size	Part No.	Size	Part No.
3/64 X 6"	AC6-008	9/32 X 6"	AC6-045	1/16 X 12	AC12-01	19/64 X 12	AC12-048
1/16 X 6"	AC6-01	19/64 X 6"	AC6-048	5/64 X 12	AC12-013	5/16 X 12	AC12-05
5/64 X 6"	AC6-013	5/16 X 6"	AC6-05	3/32 X 12	AC12-015	21/64 X 12	AC12-053
3/32 X 6"	AC6-015	21/64 X 6"	AC6-053	7/64 X 12	AC12-018	11/32 X 12	AC12-055
7/64 X 6"	AC6-018	11/32 X 6"	AC6-055	1/8 X 12	AC12-02	23/64 X 12	AC12-058
1/8 X 6"	AC6-02	23/64 X 6"	AC6-058	9/64 X 12	AC12-023	3/8 X 12	AC12-06
9/64 X 6"	AC6-023	3/8 X 6"	AC6-06	5/32 X 12	AC12-025	25/64 X 12	AC12-063
5/32 X 6"	AC6-025	25/64 X 6"	AC6-063	11/64 X 12	AC12-028	13/32 X 12	AC12-065
11/64 X 6"	AC6-028	13/32 X 6"	AC6-065	3/16 X 12	AC12-03	27/64 X 12	AC12-068
3/16 X 6"	AC6-03	27/64 X 6"	AC6-068	13/64 X 12	AC12-033	7/16 X 12	AC12-07
13/64 X 6"	AC6-033	7/16 X 6"	AC6-07	7/32 X 12	AC12-035	29/64 X 12	AC12-073
7/32 X 6"	AC6-035	29/64 X 6"	AC6-073	15/64 X 12	AC12-038	15/32 X 12	AC12-075
15/64 X 6"	AC6-038	15/32 X 6"	AC6-075	1/4 X 12	AC12-04	31/64 X 12	AC12-078
1/4 X 6"	AC6-04	31/64 X 6"	AC6-078	17/64 X 12	AC12-043	3/64 X 12	AC12-008
17/64 X 6"	AC6-043	1/2 X 6"	AC6-08	9/32 X 12	AC12-045	1/2 X 12	AC12-08

### Assortments in Steel Stand

500-AC12-29

1/16" THRU 1/2", 12" BY 64TH -29 PC AIRCRAFT EXTENSION BIT

500-AC6-29

1/16" THRU 1/2", 6" BY 64TH -29 PC AIRCRAFT EXTENSION BIT



## Superior Performance "Stubby" Number Drill Bits



Number Size	Overall Length	Flute Length	Part Number
#1	2-7/16	1-5/16	42-1
#2	2-7/16	1-5/16	42-2
#3	2-3/8	1-1/4	42-3
#4	2-3/8	1-1/4	42-4
#5	2-3/8	1-1/4	42-5
#6	2-3/8	1-1/4	42-6
#7	2-1/4	1-3/16	42-7
#8	2-1/4	1-3/16	42-8
#9	2-1/4	1-3/16	42-9
#10	2-1/4	1-3/16	42-10
#11	2-1/4	1-3/16	42-11
#12	2-3/16	1-1/8	42-12
#13	2-3/16	1-1/8	42-13
#14	2-3/16	1-1/8	42-14
#15	2-3/16	1-1/8	42-15
#16	2-3/16	1-1/8	42-16
#17	2-3/16	1-1/8	42-17
#18	2-1/8	1-1/16	42-18
#19	2-1/8	1-1/16	42-19
#20	2-1/8	1-1/16	42-20
#21	2-1/8	1-1/16	42-21
#22	2-1/8	1-1/16	42-22
#23	2-1/16	1	42-23
#24	2-1/16	1	42-24
#25	2-1/16	1	42-25
#26	2-1/16	1	42-26
#27	2-1/16	1	42-27
#28	1-15/16	15/16	42-28
#29	1-15/16	15/16	42-29
#30	1-15/16	15/16	42-30

Number Size	Overall Length	Flute Length	Part Number
#31	1-7/8	7/8	42-31
#32	1-7/8	7/8	42-32
#33	1-7/8	7/8	42-33
#34	1-7/8	7/8	42-34
#35	1-7/8	7/8	42-35
#36	1-3/16	13/16	42-36
#37	1-3/16	13/16	42-37
#38	1-3/16	13/16	42-38
#39	1-3/16	13/16	42-39
#40	1-3/16	13/16	42-40
#41	1-3/16	13/16	42-41
#42	1-3/4	3/4	42-42
#43	1-3/4	3/4	42-43
#44	1-3/4	3/4	42-44
#45	1-3/4	3/4	42-45
#46	1-3/4	3/4	42-46
#47	1-3/4	3/4	42-47
#48	1-11/16	11/16	42-48
#49	1-11/16	11/16	42-49
#50	1-11/16	11/16	42-50
#51	1-11/16	11/16	42-51
#52	1-11/16	11/16	42-52
#53	1-5/8	5/8	42-53
#54	1-5/8	5/8	42-54
#55	1-5/8	5/8	42-55
#56	1-3/8	1/2	42-56
#57	1-3/8	1/2	42-57
#58	1-3/8	1/2	42-58
#59	1-3/8	1/2	42-59
#60	1-3/8	1/2	42-60



## Superior Performance "Stubby" Screw Machine Length

Fractional Size	Overall Length	Flute Length	Part Number
1/16	1-5/8	5/8	37-01
5/64	1-11/16	11/16	37-013
3/32	1-3/4	3/4	37-015
7/64	1-13/16	13/16	37-018
1/8	1-7/8	7/8	37-02
9/64	1-15/16	15/16	37-023
5/32	2-1/16	1	37-025
11/64	2-1/8	1-1/16	37-028
3/16	2-3/16	1-1/8	37-03
13/64	2-1/4	1-3/16	37-033
7/32	2-3/8	1-1/4	37-035
15/64	2-7/16	1-5/16	37-038
1/4	2-1/2	1-3/8	37-04
17/64	2-5/8	1-7/16	37-043
9/32	2-11/16	1-1/2	37-045

Fractional Size	Overall Length	Flute Length	Part Number
19/64	2-3/4	1-9/16	37-048
5/16	2-13/16	1-5/8	37-05
21/64	2-15/16	1-11/16	37-053
11/32	3	1-11/16	37-055
23/64	3-1/16	1-3/4	37-058
3/8	3-1/8	1-13/16	37-06
25/64	3-1/4	1-7/8	37-063
13/32	3-5/16	1-15/16	37-065
27/64	3-3/8	2	37-068
7/16	3-7/16	2-1/16	37-07
29/64	3-9/16	2-1/8	37-073
15/32	3-5/8	2-1/8	37-075
31/64	3-11/16	2-3/16	37-078
1/2	3-3/4	2-1/4	37-08



### "Stubby" 29 pc Assortment Set

1 piece each 1/16" thru 1/2" by 64ths with steel index.  
Part No. 500-29-37



